# SIDEKICK

Sidekick is the trusted and versatile solution for industry-leading airflow on the go. Durably engineered with an impact-resistant frame and a gearless direct-drive motor for quiet, powerful performance, it redefines what barrel fan technology should be. Whether you need to cool people and products, dissipate fumes and odors, or rapidly dry slick surfaces, Sidekick's always got your back.



## **KEY FEATURES**

- Six-blade design with a sleek, vented frame
- Conveniently sized for quick use and easy storage
- Permanent-magnet motor for quiet, efficient performance
- Variable speed control with adjustable dial
- Indoor and outdoor ready with an IPX5 rating
- Arrives pre-assembled for immediate use



## OSHA-COMPLIANT STEEL CAGE WITH LOCKING SWIVEL CASTERS

110–125 OR 200–240 VAC

**VOLTAGE** —






## DISCOVER MORE ABOUT SIDEKICK

Learn more at **bigassfans.com/sidekick** or call **877.BIG.FANS** for a free custom quote.



### THE MOST ADVANCED BARREL FAN EVER CREATED





Technical Specifications											
Input power and required breaker	Amperage	Wattage	Airflow	Operating Temperature	Sound at max speed <sup>1</sup>	Weight					
110–125 VAC, 50/60 Hz, 1 Φ, 15 A	7.5 A	615 W	15.000 CFM	32° to 104° F (0° to 40° C)	73.3 dBA	180 lb					
200–240 VAC, 50/60 Hz, 1 Ф, 10 A	3.9 A	553 W	15,000 CFW			(81.6 kg)					

Construction Features											
Cage and Frame	Blades	Motor and Controller	Power Supply	IP Rating <sup>2</sup>	Warranty	Colors	Accessories				
Steel frame with durable and vented, OSHA-compliant HDPE shroud Four casters (two lockable swivel) for optimal maneuverability 6 in. (152 mm) wheels with rubber treads	Six blades made from glass-filled nylon	Direct drive permanent- magnet motor provides whisper-quiet operation Infinite variable speed control	Power cord and plug fits standard power outlets	IPX5	3 years	Standard black and yellow Midnight Black Custom colors available	Protective cover				



Direct-drive permanent magnet motor





<sup>1</sup> Fans are sound tested at maximum speed in a laboratory environment. Actual results in field conditions may vary due to sound reflecting surfaces and environmental conditions. <sup>2</sup> Not for use in salt air environments. Do not leave fan outdoors for extended periods of time or in anticipation of inclement weather.



USA BIGASSFANS.COM 877-244-3267 CANADA BIGASSFANS.COM/CA 844-924-4277 AUSTRALIA BIGASSFANS.COM/AU 1300 244 277

SINGAPORE BIGASSFANS.COM/SG 65 6709 8500

Lead times may vary. See full warranty for coverage information.




AIRFLOW




#### **AIRFLOW VELOCITY**

The three lines show air velocity from the center of the fan at three sensors of varying height.



#### **AIRFLOW DISTANCE**

Shaded areas represent cooling up to 120 feet (36.6 meters). That's one-third the length of a football field! Darker shading indicates faster air velocity.





CANADA BIGASSFANS.COM/CA 844-924-4277 AUSTRALIA BIGASSFANS.COM/AU 1300 244 277

SINGAPORE BIGASSFANS.COM/SG 65 6709 8500